## **Amendments to the Claims:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

## **Listing of Claims:**

1. (Currently amended) An interactive method for generating a supplementary, programrelated output, comprising:

obtaining a programming signal;

obtaining a supplementary, program-related data signal;

combining said programming signal and said supplementary, program-related data signal into a broadcast signal;

broadcasting said broadcast signal from a program signal source;

receiving said broadcast signal;

performing said programming signal of the received broadcast signal with reproduction equipment for an audience;

storing said supplementary, program-related data signal of the received broadcast signal; enabling retrieval of said stored supplementary, program-related data signal interactively with said programming signal being performed; and

responding to a control signal actuated by a member of said audience tuned to said programming signal being performed to interactively retrieve said stored supplementary, program-related data signal and to generate said supplementary, program-related output[[.]];

control signal.

wherein a plurality of supplementary, program-related outputs comprise a combination of common output data and specific output data, with said common output data being common to at least two of said outputs, and said specific output data being unique to said outputs, respectively; wherein said supplementary, program-related data signal combined with said programming signal includes said specific output data;

wherein said common output data is pre-stored locally with respective members of said

audience for retrieval rather than being broadcast with said programming signal; and

wherein said pre-stored common output data is retrieved and combined with said received

specific output data to generate said supplementary, program-related output in response to said

- 2. (Original) The interactive method of claim 1, wherein said supplementary, program-related data signal includes all data necessary to produce a human-perceptible output.
- 3. (Original) The interactive method of claim 2, wherein said output of said stored supplementary, program-related data signal comprises printing.
- 4. (Original) The interactive method of claim 2, wherein said output of said stored supplementary, program-related data signal comprises electronic recordal in a portable device adapted for use in a reader.

Appl. No. 10/080,949

Amdt. dated January 12, 1007

Reply to Office action of 7/12/2006

5. (Original) The interactive method of claim 2, wherein said programming signal is for a

commercial to advertise a product, said human-perceptible output is a reward related to purchase

of said product, and said supplementary, program-related data signal is a reward data signal.

6. (Original) The interactive method of claim 5, wherein said human-perceptible output

produced from said reward data signal is a discount coupon.

7. (Original) The interactive method of claim 1, wherein said control signal is generated by a

handheld, remote control device.

8. (Original) The interactive method of claim 1, further comprising generating an indication

responsive to said supplementary, program-related data signal being received in said broadcast

signal to alert the audience that such a supplementary, program-related output is interactively

available with the received programming signal being performed.

9. (Original) The interactive method of claim 8, wherein said indication is visual.

10. (Canceled)

11. (Currently amended) An interactive method for generating a supplementary, program-related

output from a broadcast signal that is a combination of a programming signal and a

supplementary, program-related data signal, said method comprising:

receiving said broadcast signal;

performing said programming signal of the received broadcast signal with reproduction equipment for an audience;

storing said supplementary, program-related data signal of the received broadcast signal; enabling retrieval of said stored supplementary, program-related data signal interactively with said programming signal being performed; and

responding to a control signal actuated by a member of said audience tuned to said programming signal being performed to interactively retrieve said stored supplementary, program-related data signal and to generate said supplementary, program-related output[[.]];

wherein a plurality of supplementary, program-related outputs comprise a combination of common output data and specific output data, with said common output data being common to at least two of said outputs and said specific output data being unique to said outputs, respectively;

wherein said supplementary, program-related data signal combined with said programming signal includes said specific output data;

said method further comprising pre-storing said common output data locally with respective members of said audience for retrieval rather than being broadcast with said programming signal; and

wherein the step of responding to a control signal to generate said supplementary,

program-related output comprises retrieving and combining said pre-stored common output data

with said received specific output data to generate said supplementary, program-related output.

12. (Original) The interactive method of claim 11, wherein said supplementary, program-related

data signal includes all data necessary to produce a human-perceptible output.

13. (Original) The interactive method of claim 12, wherein said output of said stored

supplementary, program-related data signal comprises printing.

14. (Original) The interactive method of claim 12, wherein said output of said stored

supplementary, program-related data signal comprises electronic recordal in a portable device

adapted for use in a reader.

15. (Original) The interactive method of claim 12, wherein said programming signal is for a

commercial to advertise a product, said human-perceptible output is a reward related to purchase

of said product, and said supplementary, program-related data signal is a reward data signal.

16. (Original) The interactive method of claim 15, wherein said human-perceptible output

produced from said reward data signal is a discount coupon.

17. (Original) The interactive method of claim 11, wherein said control signal is generated by a

handheld, remote control device.

18. (Original) The interactive method of claim 11, further comprising generating an indication

responsive to said supplementary, program-related data signal being received in said broadcast

signal to alert the audience that such a supplementary, program-related output is interactively available with the received programming signal being performed.

19. (Original) The interactive method of claim 18, wherein said indication is visual.

20. (Canceled)

21. (Currently amended) An interactive method for generating a supplementary, program-related output, comprising:

obtaining a programming signal;

obtaining a supplementary, program-related data signal;

combining said programming signal and said supplementary, program-related data signal into a broadcast signal;

broadcasting said broadcast signal from a program signal source;

receiving said broadcast signal;

performing said programming signal of the received broadcast signal with reproduction equipment for an audience;

enabling access to said supplementary, program-related data signal of the received broadcast signal interactively with said programming signal being performed; and

responding to a control signal actuated by a member of said audience tuned to said programming signal being performed to interactively access said supplementary, program-related data signal and to generate said supplementary, program-related output [[.]];

wherein a plurality of supplementary, program-related outputs comprise a combination of

common output data and specific output data, with said common output data being common to at

least two of said outputs, and said specific output data being unique to said outputs, respectively;

wherein said supplementary, program-related data signal combined with said

programming signal includes said specific output data;

wherein said common output data is pre-stored locally with respective members of said

audience for retrieval rather than being broadcast with said programming signal; and

wherein said pre-stored common output data is retrieved and combined with said received

specific output data to generate said supplementary, program-related output in response to said

control signal.

22. (Original) The interactive method of claim 21, wherein said step of enabling access to said

supplementary, program-related data signal comprises storing said supplementary, program-

related data signal of the received broadcast signal.

23. (Currently amended) An interactive method for generating a supplementary, program-related

output, comprising:

obtaining a programming signal;

obtaining a supplementary, program-related data signal;

combining said programming signal and said supplementary, program-related data signal

into a broadcast signal;

broadcasting said broadcast signal from a program signal source;

receiving said broadcast signal;

performing said programming signal of the received broadcast signal with reproduction equipment for an audience;

storing said supplementary, program-related data signal of the received broadcast signal interactively with said programming signal being performed;

enabling retrieval of said stored supplementary, program-related data signal; and responding to a control signal actuated by a member of said audience tuned to said programming signal being performed to retrieve said stored supplementary, program-related data signal and to generate said supplementary, program-related output[[.]];

wherein a plurality of supplementary, program-related outputs comprise a combination of common output data and specific output data, with said common output data being common to at least two of said outputs, and said specific output data being unique to said outputs, respectively;

wherein said supplementary, program-related data signal combined with said programming signal includes said specific output data;

wherein said common output data is pre-stored locally with respective members of said audience for retrieval rather than being broadcast with said programming signal; and

wherein said pre-stored common output data is retrieved and combined with said received specific output data to generate said supplementary, program-related output in response to said control signal.

24. (Original) The interactive method of claim 23, wherein said supplementary, program-related data signal includes all data necessary to produce a human-perceptible output.

25. (Canceled)

26. (Currently amended) An apparatus for interactively generating a supplementary, programrelated output, comprising:

means for obtaining a programming signal; means for obtaining a supplementary, program-related data signal;

means for combining said programming signal and said supplementary, program-related data signal into a broadcast signal; means for broadcasting said broadcast signal from a program signal source;

means for receiving said broadcast signal;

means for performing said programming signal of the received broadcast signal with reproduction equipment for an audience;

means for storing said supplementary, program-related data signal of the received broadcast signal;

means for enabling retrieval of said stored supplementary, program-related data signal interactively with said programming signal being performed; and

means for responding to a control signal actuated by a member of said audience tuned to said programming signal being performed to interactively retrieve said stored supplementary, program-related data signal and to generate said supplementary, program-related output[[.]];

wherein a plurality of supplementary, program-related outputs comprise a combination of

common output data and specific output data, with said common output data being common to at

least two of said outputs, and said specific output data being unique to said outputs, respectively;

wherein said supplementary, program-related data signal combined with said

programming signal includes said specific output data;

wherein said apparatus further comprises means to pre-store said common output data

locally with respective members of said audience for retrieval rather than being broadcast with

said programming signal; and

wherein said means for responding to a control signal and to generate said

supplementary, program-related output comprises means to retrieve and combine said pre-stored

common output data with said received specific output data to generate said supplementary,

program-related output.

27. (Original) The apparatus of claim 26, wherein said supplementary, program-related data

signal includes all data necessary to produce a human-perceptible output.

28. (Original) The apparatus of claim 27, wherein said output of said stored supplementary,

program-related data signal comprises printing.

29. (Original) The apparatus of claim 27, wherein said output of said stored supplementary,

program-related data signal comprises electronic recordal in a portable device adapted for use in

a reader.

30. (Original) The apparatus of claim 27, wherein said programming signal is for a commercial

to advertise a product, said human-perceptible output is a reward related to purchase of said

product, and said supplementary, program-related data signal is a reward data signal.

31. (Original) The apparatus of claim 30, wherein said human-perceptible output produced from

said reward data signal is a discount coupon.

32. (Original) The apparatus of claim 26, wherein said control signal is generated by a handheld,

remote control device.

33. (Original) The apparatus of claim 26, further comprising means for generating an indication

responsive to said supplementary, program-related data signal being received in said broadcast

signal to alert the audience that such a supplementary, program-related output is interactively

available with the received programming signal being performed.

34. (Original) The apparatus of claim 33, wherein said indication is visual.

35. (Canceled)

36. (Currently amended) An apparatus for interactively generating a supplementary, program-

related output from a broadcast signal that is a combination of a programming signal and a

supplementary, program-related data signal, said apparatus comprising:

means for receiving said broadcast signal; means for performing said programming signal

of the received broadcast signal with reproduction equipment for an audience;

means for storing said supplementary, program-related data signal of the received

broadcast signal;

means for enabling retrieval of said stored supplementary, program-related data signal

interactively with said programming signal being performed; and

means for responding to a control signal actuated by a member of said audience tuned to

said programming signal being performed to interactively retrieve said stored supplementary,

program-related data signal and to generate said supplementary, program-related output[[.]];

wherein a plurality of supplementary, program-related outputs comprise a combination of

common output data and specific output data, with said common output data being common to at

least two of said outputs and said specific output data being unique to said outputs, respectively;

wherein said supplementary, program-related data signal combined with said

programming signal includes said specific output data;

said apparatus further comprising means for pre-storing the common output data locally

with respective members of said audience for retrieval rather than being broadcast with said

programming signal; and

wherein said means for responding to a control signal to generate said supplementary,

program-related output comprises means for retrieving and combining said pre-stored common

output data with said received specific output data to generate said supplementary, program-

related output.

37. (Currently amended) An apparatus for interactively generating a supplementary, program-

related output from a broadcast signal, comprising:

means for obtaining a programming signal;

means for obtaining a supplementary, program-related data signal;

means for combining said programming signal and said supplementary, program-related

data signal into a broadcast signal; means for broadcasting said broadcast signal from a program

signal source;

means for receiving said broadcast signal;

means for performing said programming signal of the received broadcast signal with

reproduction equipment for an audience;

means for enabling access to said supplementary, program-related data signal of the

received broadcast signal interactively with said programming signal being performed; and

means for responding to a control signal actuated by a member of said audience tuned to

said programming signal being performed to interactively access said supplementary, program-

related data signal and to generate said supplementary, program-related output[[.]];

wherein a plurality of supplementary, program-related outputs comprise a combination of

common output data and specific output data, with said common output data being common to at

least two of said outputs, and said specific output data being unique to said outputs, respectively;

wherein said supplementary, program-related data signal combined with said

programming signal includes said specific output data;

wherein said apparatus further comprises means for pre-storing the common output data

locally with respective members of said audience for retrieval rather than being broadcast with

said programming signal; and

wherein said means for responding to a control signal to generate said supplementary,

program-related output comprises means for retrieving and combining said pre-stored common

output data with said received specific output data to generate said supplementary, program-

related output.

38. (Currently amended) An apparatus for interactively generating a supplementary, program-

related output from a broadcast signal, comprising:

means for obtaining a programming signal;

means for obtaining a supplementary, program-related data signal;

means for combining said programming signal and said supplementary, program-related

data signal into a broadcast signal; means for broadcasting said broadcast signal from a program

signal source;

means for receiving said broadcast signal;

means for performing said programming signal of the received broadcast signal with

reproduction equipment for an audience;

means for storing said supplementary, program-related data signal of the received

broadcast signal interactively with said programming signal being performed;

means for enabling retrieval of said stored supplementary, program-related data signal;

and

means for responding to a control signal actuated by a member of said audience tuned to

said programming signal being performed to retrieve said supplementary, program-related data

signal and to generate said supplementary, program-related output[[.]];

wherein a plurality of supplementary, program-related outputs comprise a combination of

common output data and specific output data, with said common output data being common to at

least two of said outputs, and said specific output data being unique to said outputs, respectively;

wherein said supplementary, program-related data signal combined with said

programming signal includes said specific output data;

wherein said apparatus further comprises means for pre-storing the common output data

locally with respective members of said audience for retrieval rather than being broadcast with

said programming signal; and

wherein said means for responding to a control signal to generate said supplementary,

program-related output comprises means for retrieving and combining said pre-stored common

output data with said received specific output data to generate said supplementary, program-

related output.